

EMERGENCY MEDICAL SERVICES AUTHORITY

10901 GOLD CENTER DR STE 400
RANCHO CORDOVA, CA 95670-6073
(916) 322-4336 FAX (916) 324-2875



DATE: January 23, 2019

FROM: Jennifer Lim, Deputy Director of Legislative, Regulatory & External Affairs

SUBJECT: THIRD 15- DAY PUBLIC COMMENT ON PROPOSED CHAPTER 7.1 ST-ELEVATION MYOCARDIAL INFARCTION (STEMI) CRITICAL CARE SYSTEM.

The Emergency Medical Services Authority (EMSA) is proposing to add Chapter 7.1 to Division 9, Title 22, of the California Code of Regulations. This chapter will establish standardized best practices for an ST-Elevation Myocardial Infarction (STEMI) Critical Care System.

The public is invited to submit written comments on modifications to the proposed regulations during the third 15-day public comment period from January 23, 2019, through February 7, 2019. EMSA is providing notice and making the modifications available to the public for a minimum of 15 days prior to adoption of the proposed regulations pursuant to Government Code §11346.8.

EMSA must receive written comments on the proposed changes on or before February 7, 2019. Comments can be submitted to Esam El-Morshedy by email at esam.el-morshedy@emsa.ca.gov or by fax at (916) 322-8765. Comments can also be sent to our mailing address at:

EMS Authority
Attn: STEMI Regulations
10901 Gold Center Drive, Ste. 400
Rancho Cordova, CA 95670.

Please note comments should be limited to only the modifications made to the proposed regulatory text after the previous comment period closed. Those changes are clearly indicated in the text by highlighted italics and double underline, or highlighted italics and double strikethrough. Comments directly concerning these proposed modifications to the text of the regulations will be considered and responded to in the Final Statement of Reasons.

The modified proposed regulation text as well as the Notice of Proposed Regulations, Initial Statement of Reasons and other regulatory documents are available for review on EMSA's website at https://emsa.ca.gov/public_comment/

If you are unable to access the website and would like a copy of the proposed Chapter 7.1 regulatory documents mailed, faxed or emailed to you, or if you have any questions, please contact Esam El-Morshedy by calling (916) 431-3656, or by email at esam.el-morshedy@emsa.ca.gov

morshedy@emsa.ca.gov. If Esam EI-Morshedy is unavailable, you may contact Jennifer Lim at jennifer.lim@emsa.ca.gov or by phone at (916) 431-3700.